Page: 1/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

1 Identification

· Product identifier

· Trade name: Baghouse Dust - Standard

· Article number: No other identifiers

· Recommended use and restriction on use

· Recommended use: Waste material.

· Restrictions on use: Contact manufacturer

Details of the supplier of the Safety Data Sheet

Manufacturer/Supplier:

Scepter, Inc. 1485 Scepter Lane Waverly, TN. 37185 Tel: 931-535-3565

· Emergency telephone number: 3E Company: (800) 360-3220 - Contract 10767

2 Hazard(s) identification

· Classification of the substance or mixture

Eye Irrit. 2B H320 Causes eye irritation.

Carc. 2 H351 Suspected of causing cancer. Route of exposure: Inhalation.

Combustible Dust May form combustible dust concentrations in air.

· Label elements

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms:



GHS08

· Signal word: Warning

· Hazard statements:

H320 Causes eye irritation.
H351 Suspected of causing cancer. Route of exposure: Inhalation.

May form combustible dust concentrations in air.

· Precautionary statements:

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P264 Wash thoroughly after handling.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P337+P313 If eye irritation persists: Get medical advice/attention.
P308+P313 If exposed or concerned: Get medical advice/attention.

P405 Store locked up.

(Cont'd. on page 2)

Page: 2/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 1)

P501 Dispose of contents/container in accordance with local/regional/national/international

regulations.

· Other hazards There are no other hazards not otherwise classified that have been identified.

3 Composition/information on ingredients

· Chemical characterization: Mixtures

· Component	ts:		
1344-28-1	aluminium oxide		40-60%
7447-40-7	potassium chloride	Eye Irrit. 2B, H320	10-20%
	magnesium oxide		5-10%
12125-02-9	ammonium chloride	① Acute Tox. 4, H302; Eye Irrit. 2A, H319	1-2.5%
471-34-1	calcium carbonate		1-2.5%
13463-67-7	titanium dioxide	♦ Carc. 2, H351	0.1-1%

· Additional information:

Material contains less than 50 ppm (50 mg/l) of the following: Antimony, Arsenic, Barium, Cadmium, Chromium, Cobalt, Lead, Mercury, Nickel, Selenium, and Silver.

Material contains no detectable Volatile Organic Compounds, Semi-Volatile Organic Compounds, TCLP Pesticides, or TCLP Chlorinated Herbicides.

For the listed ingredient(s), the identity and/or exact percentage(s) are being withheld as a trade secret. For the wording of the listed Hazard Statements refer to section 16.

4 First-aid measures

- Description of first aid measures
- · General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air.

Seek medical treatment in case of complaints.

Provide oxygen treatment if affected person has difficulty breathing.

In case of unconsciousness place patient stably in side position for transportation.

· After skin contact:

Brush off loose particles from skin.

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

· After eye contact:

Remove contact lenses if worn.

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Most important symptoms and effects, both acute and delayed:

Breathing difficulty

Coughing

Gastric or intestinal disorders

(Cont'd. on page 3)

Page: 3/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 2)

· Danger: Suspected of causing cancer. Route of exposure: Inhalation.

· Indication of any immediate medical attention and special treatment needed:

Contains heavy metals. Consult literature for specific antidotes.

May produce a metal fume disease effect. If necessary oxygen respiration treatment.

5 Fire-fighting measures

- · Extinguishing media
- · Suitable extinguishing agents:

Dry sand

Graphite powder.

Special powder for metal fires. Do not use water.

- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture

May form combustible dust concentrations in air.

During heating or in case of fire poisonous gases are produced.

Hazardous combustions products: Metal Compounds, Carbon Monoxide, Carbon Dioxide, Nitrous Oxides, Various complex oxides of metals, Nitrogen.

- · Advice for firefighters
- · Protective equipment:

Wear self-contained respiratory protective device.

Wear fully protective suit.

· Additional information: Evacuate area and fight fire from from the upwind side.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures:

Use respiratory protective device against the effects of fumes/dust/aerosol.

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation.

· Environmental precautions:

Do not allow to enter sewers/ surface or ground water.

Inform respective authorities in case of seepage into water course or sewage system.

· Methods and material for containment and cleaning up:

Pick up mechanically.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to item 13.

Do not flush with water or aqueous cleansing agents

· Reference to other sections:

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont'd. on page 4)

Page: 4/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 3)

7 Handling and storage

· Handling

· Precautions for safe handling:

Prevent formation of dust.

Any deposit of dust which cannot be avoided must be regularly removed.

Provide suction extractors if dust is formed.

Do not dry clean dust covered objects and floors. Wash thoroughly with plenty of water.

· Information about protection against explosions and fires:

Dust can combine with air to form an explosive mixture.

Protect against electrostatic charges.

Keep respiratory protective device available.

· Conditions for safe storage, including any incompatibilities

- Storage
- · Requirements to be met by storerooms and receptacles: Protect from humidity and water.
- · Information about storage in one common storage facility:

Store away from foodstuffs.

Store away from water.

Do not store together with alkalis (caustic solutions).

Do not store together with acids.

Store away from oxidizing agents.

· Further information about storage conditions:

Store in cool, dry conditions in well sealed receptacles.

Protect from humidity and water.

Store receptacle in a well ventilated area.

· Specific end use(s): No relevant information available.

8 Exposure controls/personal protection

· Control parameters

- Components with limit values that require monitoring at the workplace: 1344-28-1 aluminium oxide PEL (USA)	Commonanto	ith limit values that require manifering at the weather see.	
PEL (USA) Long-term value: 15*; 5** mg/m³ *Total dust; ** Respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f. TLV (USA) Long-term value: 1* mg/m³ as Al; *as respirable fraction EL (Canada) Long-term value: 1.0 mg/m³ respirable, as Al EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 1* mg/m³	•	<u> </u>	
*Total dust; ** Respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ as Al*Total dust**Respirable/pyro powd./welding f. Long-term value: 1* mg/m³ as Al; *as respirable fraction EL (Canada) Long-term value: 1.0 mg/m³ respirable, as Al EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 1* mg/m³	1344-28-1 alum	iinium oxide	
as Al*Total dust**Respirable/pyro powd./welding f. TLV (USA) Long-term value: 1* mg/m³ as Al; *as respirable fraction EL (Canada) Long-term value: 1.0 mg/m³ respirable, as Al EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 1* mg/m³	PEL (USA)		
as AI; *as respirable fraction Long-term value: 1.0 mg/m³ respirable, as AI EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 1* mg/m³	REL (USA)		
respirable, as Al EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 1* mg/m³	TLV (USA)		
total dust LMPE (Mexico) Long-term value: 1* mg/m³	EL (Canada)		
	EV (Canada)	1 3	
,	LMPE (Mexico)	Long-term value: 1* mg/m³ A4, *fracciòn respirable	

(Cont'd. on page 5)

Page: 5/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

1309-48-4 magnesium oxide			(Cont'd. of page
fume; "total particulate TLV (USA) Long-term value: 10* mg/m³ - "as inhalable fraction EL (Canada) Short-term value: 10* mg/m³ - "inhalable fume; "trespirable dust and fume EV (Canada) Long-term value: 10 mg/m³ - inhalable fume; "trespirable dust and fume EV (Canada) Long-term value: 10 mg/m³ - A4, "fracción respirable 12125-02-9 ammonium chloride REL (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ TLV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ Tume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ - "total dust ""respirable fraction TLV (USA) Long-term value: 10* 5* "mg/m³ "total dust "respirable fraction TLV (USA) Long-term value: 10* sy "mg/m³ "total dust "respirable fraction TLV (USA) Long-term value: 10* mg/m³ "total dust "respirable fraction TLV (USA) Long-term value: 10* mg/m³ "total dust "respirable fraction; IARC 2B EV (Canada) Long-term value: 10* mg/m³ total dust; "respirable fraction; IARC 2B EV (Canada) Long-term value: 10* mg/m³ total dust Long-term value: 10* mg/m³ to			
*as inhalable fraction Short-term value: 10** mg/m³ Long-term value: 10 mg/m³ inhalable fume;**respirable dust and fume EV (Canada) Long-term value: 10 mg/m³ inhalable LMPE (Mexico) Long-term value: 10* mg/m³ A4, *fracción respirable REL (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ TLV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume 471-34-1 calcium carbonate PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10* mg/m³ *withdrawn from NIC EL (Canada) Long-term value: 10* mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10* mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ *total dust LOng-term value: 10* mg/m³ *total dust	PEL (USA)		
Long-term value: 10* 3** mg/m³	TLV (USA)		
inhalable LMPE (Mexico) Long-term value: 10* mg/m³ A4, *fracción respirable REL (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ TLV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ **Cong-term value: 10 mg/m³ **Cong-term value: 10 mg/m³ **Total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ **total dust **respirable fraction TLV (USA) Long-term value: 10* 5** mg/m³ **total dust **respirable fraction TLV (USA) Long-term value: 15* mg/m³ **total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ **total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ **total dust **respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ **total dust; **respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ **total dust total dust total dust total dust total dust total mg/m³	EL (Canada)	Long-term value: 10* 3** mg/m³	
A4, *fracción respirable 12125-02-9 ammonium chloride REL (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ TLV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EV (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust **respirable fraction TLV (USA) Long-term value: 15* mg/m³ *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *total dust **respirable fraction PEL (USA) Long-term value: 10* mg/m³ *total dust See Pocket Guide App. A TLV (USA) Long-term value: 10* mg/m³ *total dust	EV (Canada)		
REL (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ Short-term value: 20 mg/m³ Long-term value: 20 mg/m³ Long-term value: 20 mg/m³ Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust **respirable fraction TLV (USA) Long-term value: 10* mg/m³ *total dust ** ** mg/m³ ** total dust ** mg/m³ ** mg/m³ ** total dust ** mg/m³ ** m	LMPE (Mexico)		
Long-term value: 10 mg/m³ TLV (USA) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ Long-term value: 10 mg/m³ Long-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ 471-34-1 calcium carbonate PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10 mg/m³ *total dust**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³	12125-02-9 ami	monium chloride	
Long-term value: 10 mg/m³ EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ 471-34-1 calcium carbonate PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	REL (USA)		
EL (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume EV (Canada) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ Mg/m³ Long-term value: 10 mg/m³	TLV (USA)		
Long-term value: 10 mg/m³ fume LMPE (Mexico) Short-term value: 20 mg/m³ Long-term value: 10 mg/m³ 471-34-1 calcium carbonate PEL (USA) REL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) REL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust,**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³ *total dust,**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³	EL (Canada)	Short-term value: 20 mg/m³ Long-term value: 10 mg/m³	
Long-term value: 10 mg/m³ 471-34-1 calcium carbonate PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	EV (Canada)	Long-term value: 10 mg/m ³	
PEL (USA) Long-term value: 15* 5** mg/m³ *total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³	LMPE (Mexico)		
*total dust **respirable fraction REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	471-34-1 calciu	m carbonate	
REL (USA) Long-term value: 10* 5** mg/m³ *total dust **respirable fraction TLV (USA) TLV withdrawn 13463-67-7 titanium dioxide PEL (USA) Long-term value: 15* mg/m³ *total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	PEL (USA)		
TLV (USA) 13463-67-7 titanium dioxide PEL (USA) REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	REL (USA)	Long-term value: 10* 5** mg/m³	
TEL (USA) REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³ total dust Long-term value: 10 mg/m³	TLV (USA)	TLV withdrawn	
total dust REL (USA) See Pocket Guide App. A TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³		nium dioxide	
TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	PEL (USA)		
TLV (USA) Long-term value: 10 mg/m³ withdrawn from NIC EL (Canada) Long-term value: 10* 3** mg/m³ *total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	REL (USA)	See Pocket Guide App. A	
*total dust;**respirable fraction; IARC 2B EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³			
EV (Canada) Long-term value: 10 mg/m³ total dust LMPE (Mexico) Long-term value: 10 mg/m³	EL (Canada)		
· · · · · · · · · · · · · · · · · · ·	EV (Canada)		
	LMPE (Mexico)	l	

Page: 6/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 5)

- Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Vacuum clean contaminated clothing. Do not blow or brush off contamination.

Keep away from foodstuffs, beverages and feed.

Wash hands before breaks and at the end of work.

Do not inhale dust / smoke / mist. Avoid contact with the eyes and skin.

- · Engineering controls: Provide adequate ventilation.
- · Breathing equipment:

For spills, respiratory protection may be advisable.

Particulate mask should filter at least 99% of airborne particles.

Suitable respiratory protective device recommended.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

· Eye protection:



Safety glasses

· Body protection:

Impervious protective clothing Protective work clothing

· Limitation and supervision of exposure into the environment

No relevant information available.

· Risk management measures See Section 7 for additional information.

9 Physical and chemical properties

· Information on basic physical a · Appearance:	and chemical properties
Form:	Solid in various forms
Color:	Dark grey
· Odor:	Ammonia-like
· Odor threshold:	Not determined.
 pH-value: Melting point/Melting range: Boiling point/Boiling range: 	Not applicable. Melting Point Range: 900-1220 ° F / 482-649 °C. Not determined.
· Flash point:	Not applicable.
· Flammability (solid, gaseous):	Product is not flammable.

(Cont'd. on page 7)

Page: 7/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

		(Cont'd. of page
· Auto-ignition temperature:	Not determined.	
· Decomposition temperature:	Not determined.	
· Danger of explosion:	May form combustible dust concentrations in air.	
· Explosion limits		
Lower:	Not determined.	
Upper:	Not determined.	
· Vapor pressure:	Not applicable.	
· Density at 20 °C (68 °F):	2.7 g/cm³ (22.532 lbs/gal)	
· Relative density:	Not determined.	
· Vapor density:	Not applicable.	
· Evaporation rate:	Not applicable.	
· Solubility in / Miscibility with		
Water:	Insoluble.	
· Partition coefficient (n-octanol/water)	: Not determined.	
· Viscosity		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Other information	No relevant information available.	

10 Stability and reactivity

- · Reactivity: No relevant information available.
- · Chemical stability:
- · Thermal decomposition / conditions to be avoided:

No decomposition if used and stored according to specifications.

· Possibility of hazardous reactions:

Strong exothermic reaction with acids.

Reacts with alkali (lyes).

Risk of dust explosion if enriched with fine dust in the presence of air.

Reacts with halogenated compounds.

Toxic fumes may be released if heated above the decomposition point.

Reacts with amines.

- · Conditions to avoid: No relevant information available.
- · Incompatible materials: No relevant information available.
- · Hazardous decomposition products:

Toxic metal oxide smoke

Toxic metal compounds

Ammonia

Nitrogen oxides (NOx)

Page: 8/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 7)

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

12125-02-9 ammonium chloride

Oral LD50 | 1650 mg/kg (rat)

- Primary irritant effect:
- · On the skin: Based on available data, the classification criteria are not met.
- · On the eye: Causes eye irritation.
- · Sensitization: Based on available data, the classification criteria are not met.
- · Carcinogenic categories

· IARC (International Agency for Research on Cancer):		
7631-86-9	silicon dioxide	3
13463-67-7	titanium dioxide	2B
NTD (National Tayloglamy Dragram)		

NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

· Probable route(s) of exposure:

Ingestion.

Inhalation.

Eye contact.

Skin contact.

- · Acute effects (acute toxicity, irritation and corrosivity): No relevant information available.
- · Repeated dose toxicity: Possible risk of irreversible effects.
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction)

Carc. 2

- · Germ cell mutagenicity: Based on available data, the classification criteria are not met.
- · Carcinogenicity: Suspected of causing cancer. Route of exposure: Inhalation.
- · Reproductive toxicity: Based on available data, the classification criteria are not met.
- · STOT-single exposure: Based on available data, the classification criteria are not met.
- · STOT-repeated exposure: Based on available data, the classification criteria are not met.
- · Aspiration hazard: Based on available data, the classification criteria are not met.

12 Ecological information

- Toxicity
- · Aquatic toxicity No relevant information available.
- · Persistence and degradability No relevant information available.
- · Bioaccumulative potential: May be accumulated in organism
- · Mobility in soil: No relevant information available.
- · Ecotoxical effects:
- · Remark: Harmful to fish

(Cont'd. on page 9)

Page: 9/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 8)

Additional ecological information

· General notes:

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

The product contains heavy metals. Avoid transfer into the environment. Specific preliminary treatments are necessary.

Harmful to aquatic organisms

Due to available data on eliminability/decomposition and bioaccumulation potential prolonged term damage of the environment can not be excluded.

· Other adverse effects: No relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Contact waste processors for recycling information.

Must be specially treated adhering to official regulations.

The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding treatment, storage and disposal for hazardous and nonhazardous wastes.

- Uncleaned packagings
- · Recommendation: Disposal must be made according to official regulations.

14 Transport information		
· UN-Number · DOT, ADR, IMDG, IATA	Not regulated.	
· UN proper shipping name · DOT, ADR, IMDG, IATA	Not regulated.	
· Transport hazard class(es)		
· DOT, ADR, IMDG, IATA · Class	Not regulated.	
· Packing group · DOT, ADR, IMDG, IATA	Not regulated.	
· Environmental hazards · Marine pollutant:	No	
· Special precautions for user	Not applicable.	
		(Cont'd. on page 10)

Page: 10/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 9)

· Transport in bulk according to Annex II of

MARPOL73/78 and the IBC Code Not applicable.

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · United States (USA)
- ·SARA
- · Section 302 (extremely hazardous substances):

None of the ingredients are listed.

Section 304 (emergency release notification):

None of the ingredients are listed.

· Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

1344-28-1 aluminium oxide

· TSCA (Toxic Substances Control Act)

All ingredients are listed.

- · Proposition 65 (California)
- · Chemicals known to cause cancer:

Present in trace quantities: lead, nickel.

13463-67-7	titanium dioxide
7440-02-0	nickel
7439-92-1	lead

· Chemicals known to cause reproductive toxicity for females:

7439-92-1 lead

· Chemicals known to cause reproductive toxicity for males:

7439-92-1 lead

· Chemicals known to cause developmental toxicity:

7439-92-1 lead

· Carcinogenic categories

· EPA (Environmental Protection Agency):

None of the ingredients are listed.

· IARC (International Agency for Research on Cancer):

•	,	
7631-86-9	silicon dioxide	3
13463-67-7	titanium dioxide	2B

· NIOSH-Ca (National Institute for Occupational Safety and Health):

13463-67-7 titanium dioxide

(Cont'd. on page 11)

Page: 11/11

Safety Data Sheet acc. to OSHA HCS (29 CFR 1910.1200)

Printing date: 05/06/2016 Revision: 05/06/2016

Trade name: Baghouse Dust - Standard

(Cont'd. of page 10)

· Information about limitation of use:

Workers are not allowed to be exposed to the hazardous carcinogenic materials contained in this preparation. Exceptions can be made by the authorities in certain cases.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Date of preparation / last revision 05/06/2016 / -

· Abbreviations and acronyms:

ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

CAS: Chemical Abstracts Service (division of the American Chemical Society)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Acute Tox. 4: Acute toxicity, Hazard Category 4

Eye Irrit. 2A: Serious eye damage/eye irritation, Hazard Category 2A

Eye Irrit. 2B: Serious eye damage/eye irritation, Hazard Category 2B

Carc. 2: Carcinogenicity, Hazard Category 2

· Sources

Website, European Chemicals Agency (echa.europa.eu)

Website, US EPA Substance Registry Services (ofmpub.epa.gov/sor internet/registry/substreg/home/overview/home.do)

Website, Chemical Abstracts Registry, American Chemical Society (www.cas.org)

Patty's Industrial Hygiene, 6th ed., Rose, Vernon, ed. ISBN: ISBN: 978-0-470-07488-6

Casarett and Doull's Toxicology: The Basic Science of Poisons, 8th Ed., Klaasen, Curtis D., ed., ISBN: 978-0-07-176923-5.

Safety Data Sheets, Individual Manufacturers

SDS Prepared by:

ChemTel Inc.

1305 North Florida Avenue

Tampa, Florida USA 33602-2902

Toll Free North America 1-888-255-3924 Intl. +01 813-248-0573

Website: www.chemtelinc.com